

# Safety data sheet

according to 1907/2006/EC, Article 31

**Fotospeed**  
for every print

Printing date 21.09.2021

version no: 7

Revision: 01.09.2021

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: **Fotospeed (SB-50) Odourless Stop Bath with Indicator**

Article number: 100142

#### Index number

None of the ingredients is listed.

UFI: VM00-Q0ND-400E-FY6F

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Stabilizer bath for photographic use

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Jay House LTD  
Unit 6B, Parklane IND EST, Corsham, SN13 9LG  
Tel.: +44 (0) 1249714555; www.Fotospeed.com;  
E-mail: info@fotospeed.com

Further information obtainable from: Department product safety. E-Mail: info@fotospeed.com .

1.4 Emergency telephone number: Jay House Ltd Tel.:+44(0) 1249 714555 (open: 8am till 5pm)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS07

Signal word Warning

#### Hazard statements

H319 Causes serious eye irritation.

#### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P264 Wash thoroughly after handling.

P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

EN

(Contd. on page 2)

**Trade name: Fotospeed (SB-50) Odourless Stop Bath with Indicator**

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below and with nonhazardous additions.

#### Dangerous components:

CAS: 5949-29-1	Citric acid mono hydrate	25-50%
EINECS: 201-069-1	(anhydrat: CAS 77-92-9)	

◊ Eye Irrit. 2, H319

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**General information:** Take affected persons out into the fresh air.

**After skin contact:** Immediately rinse with water.

**After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing:** If symptoms persist consult doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

#### 5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx)

Carbon monoxide (CO)

Sulphur dioxide (SO<sub>2</sub>)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

#### 5.3 Advice for firefighters

**Protective equipment:** Do not inhale explosion gases or combustion gases.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

#### 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 3)

**Trade name: Fotospeed (SB-50) Odourless Stop Bath with Indicator**

(Contd. of page 2)

- . **Information about fire - and explosion protection:** No special measures required.
- . **7.2 Conditions for safe storage, including any incompatibilities**
- . **Storage:**
- . **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- . **Information about storage in one common storage facility:**
  - Store away from foodstuffs.
  - Store away from oxidising agents.
- . **Further information about storage conditions:**
  - Keep container tightly sealed.
  - Store in cool, dry conditions in well sealed receptacles.
  - Protect from heat and direct sunlight.
  - Store under lock and key and out of the reach of children.
  - Recommended storage temperature: 5-30°C
- . **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- . **8.1 Control parameters**
- . **Additional information about design of technical facilities:** No further data; see item 7.
- . **Ingredients with limit values that require monitoring at the workplace:**
  - The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- . **Additional information:** The lists valid during the making were used as basis.
- . **8.2 Exposure controls**
- . **Personal protective equipment:**
- . **General protective and hygienic measures:**
  - The usual precautionary measures are to be adhered to when handling chemicals.
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing
  - Wash hands before breaks and at the end of work.
  - Do not inhale gases / fumes / aerosols.
  - Avoid contact with the eyes and skin.
- . **Respiratory protection:** Ensure adequate ventilation
- . **Protection of hands:**
  - Impervious gloves
  - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
  - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- . **Material of gloves**
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
  - Butyl rubber, BR
  - Nitrile rubber, NBR
  - Neoprene gloves
- . **Penetration time of glove material**

Glove material	breakthrough-time	layer thickness
Butyl rubber:	≥480 min	≥0,4mm
Nitrile rubber:	≥480 min	≥0,38mm
Neoprene:	≥240 min	≥0,65mm

  - The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

**Trade name: Fotospeed (SB-50) Odourless Stop Bath with Indicator**

(Contd. of page 3)

## . Eye protection:



Tightly sealed goggles

## . Body protection: Protective work clothing

**SECTION 9: Physical and chemical properties**

## . 9.1 Information on basic physical and chemical properties

## . General Information

## . Appearance:

. Form:	Fluid
. Colour:	Orange
. Odour:	Characteristic
. Odour threshold:	Not determined.

. pH-value at 20 °C: &gt;2

## . Change in condition

. Melting point/freezing point:	Undetermined.
. Initial boiling point and boiling range:	>100 °C

. Flash point: Not applicable.

. Flammability (solid, gas): Not applicable.

. Decomposition temperature: Not determined.

. Auto-ignition temperature: Product is not selfigniting.

. Explosive properties: Product does not present an explosion hazard.

## . Explosion limits:

. Lower:	Not determined.
. Upper:	Not determined.

. Vapour pressure: Not determined.

. Density at 20 °C: 1.13 g/cm<sup>3</sup>

. Relative density: Not determined.

. Vapour density: Not determined.

. Evaporation rate: Not determined.

## . Solubility in / Miscibility with water:

Fully miscible.

. Partition coefficient: n-octanol/water: Not determined.

## . Viscosity:

. Dynamic:	Not determined.
. Kinematic:	Not determined.

## . Solvent content:

. Water:	50-90 %
. VOC (EC)	0.00 %

. Solids content: 0.0 %

. 9.2 Other information: No further relevant information available.

**Trade name: Fotospeed (SB-50) Odourless Stop Bath with Indicator**

(Contd. of page 4)

### SECTION 10: Stability and reactivity

- . **10.1 Reactivity** No further relevant information available.
- . **10.2 Chemical stability**
- . **Thermal decomposition / conditions to be avoided:** Stable at environment temperature.
- . **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
- . **10.4 Conditions to avoid** No further relevant information available.
- . **10.5 Incompatible materials:** Under certain fire conditions, traces of other toxic gases cannot be excluded.
- . **10.6 Hazardous decomposition products:**  
Irritant gases/vapours  
Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

- . **11.1 Information on toxicological effects**
- . **Acute toxicity** Based on available data, the classification criteria are not met.
- . **Primary irritant effect:**
- . **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- . **Serious eye damage/irritation**  
Causes serious eye irritation.
- . **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- . **Additional toxicological information:**
- . **Acute effects (acute toxicity, irritation and corrosivity)**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant
- . **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- . **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- . **Carcinogenicity** Based on available data, the classification criteria are not met.
- . **Reproductive toxicity** Based on available data, the classification criteria are not met.
- . **STOT-single exposure** Based on available data, the classification criteria are not met.
- . **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- . **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- . **12.1 Toxicity**
- . **Aquatic toxicity:** No further relevant information available.
- . **12.2 Persistence and degradability** No further relevant information available.
- . **12.3 Bioaccumulative potential** No further relevant information available.
- . **12.4 Mobility in soil** No further relevant information available.
- . **Additional ecological information:**
- . **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- . **12.5 Results of PBT and vPvB assessment**
- . **PBT:** Not applicable.
- . **vPvB:** Not applicable.
- . **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- . **13.1 Waste treatment methods**
- . **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

**Trade name: Fotospeed (SB-50) Odourless Stop Bath with Indicator**

(Contd. of page 5)

**. European waste catalogue**

09 00 00 WASTES FROM THE PHOTOGRAPHIC INDUSTRY

09 01 00 wastes from the photographic industry

09 01 99 wastes not otherwise specified

**. Uncleaned packaging:**

**. Recommendation:** Disposal must be made according to official regulations.

**. Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

**. 14.1 UN-Number**

**. ADR, ADN, IMDG, IATA** Void

**. 14.2 UN proper shipping name**

**. ADR, ADN, IMDG, IATA** Void

**. 14.3 Transport hazard class(es)**

**. ADR, ADN, IMDG, IATA**

**. Class** Void

**. 14.4 Packing group**

**. ADR, IMDG, IATA** Void

**. 14.5 Environmental hazards:**

**. Marine pollutant:** No

**. 14.6 Special precautions for user**

Not applicable.

**. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

**. UN "Model Regulation":**

Void

**. 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**. Labelling according to Regulation (EC) No 1272/2008 GHS label elements**

**. Directive 2012/18/EU**

**. REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**. 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**. Relevant phrases**

H319 Causes serious eye irritation. **. Contact:** E:

info@fotospeed.com

**. Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 21.09.2021

version no: 7

Revision: 01.09.2021

**Trade name: Fotospeed (SB-50) Odourless Stop Bath with Indicator**

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

(Contd. of page 6)

**\* Data compared to the previous version altered.**

EN