

Page 1/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023

Version 1.1 (replaces version 1.0)

Revision: 04.12.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Sepia Toner
- · Article number: 13699
- · UFI: CR51-T05Y-U003-XKEQ
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Photo chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Jay House Ltd Redman Road

· Calne, SN11 9PL

Tel.: +44 01249 714555

e-mail: info@fotospeed.com

www.fotospeed.com

Informing department:

Tel.: +44 07831 161 781 E-Mail: info@fotospeed.com

· 1.4 Emergency telephone number:

Tel.: +44 07831161 781 • Tel.: +44 01249 714555

#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



Page 2/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023 Version 1.1 (replaces version 1.0)

Revision: 04.12.2023

(Contd. of page 1)

Trade name: Sepia Toner

#### · Hazard pictograms



CHOU

· Signal word Danger

#### · Hazard-determining components of labelling:

sodium sulphide potassium hydroxide

Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists.

P280 Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

#### · Additional information:

EUH031 Contact with acids liberates toxic gas.

#### · 2.3 Other hazards

No special hazards known if the regulations/instructions for storage and handling are observed. Where applicable, this section provides information on other hazards that do not result in classification but may contribute to the overall hazards of the substance or mixture.

The product does not contain any substance above legal limits that fulfils the criteria for PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative). The product does not contain any substance above the legal limits that has been included in the list drawn up in accordance with Article 59(1) of Regulation (EC) No 1907/2006 due to endocrine disrupting properties or that has endocrine disrupting or endocrine disrupting properties in accordance with Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### · Results of PBT and vPvB assessment

· **PBT:** Not applicable.

(Contd. on page 3)



Page 3/14

### Safety data sheet according to 1907/2006/EC, Article 31

Revision: 04.12.2023 Printing date 04.12.2023 Version 1.1 (replaces version 1.0)

Trade name: Sepia Toner

· vPvB: Not applicable.

(Contd. of page 2)

### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

· Dangerous components:		
	sodium sulphide Acute Tox. 3, H301; Acute Tox. 3, H311 Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400 EUH031	5 - 10%
	potassium hydroxide  Met. Corr.1, H290; Skin Corr. 1A, H314  Acute Tox. 4, H302  Specific concentration limits: Skin Corr. 1A; H314: C≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	≥ 0.5 - < 2%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information

Instantly remove any clothing soiled by the product.

Personal protection for the First Aider.

· After inhalation

In case of unconsciousness bring patient into stable side position for transport.

· After skin contact

Instantly wash with water and soap and rinse thoroughly.

Instantly rinse with water.

· After eve contact

Rinse opened eye for several minutes under running water (at least 15 minutes).

Remove contact lenses, if present and easy to do.

Protect uninjured eye.

(Contd. on page 4)



Page 4/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023 Version 1.1 (replaces version 1.0)

Revision: 04.12.2023

Trade name: Sepia Toner

Call a doctor immediately.

(Contd. of page 3)

· After swallowing

Drink copious amounts of water and provide fresh air. Instantly call for doctor. Do not induce vomiting.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed Basic relief, decontamination, symptomatic treatment.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water spray jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture Formation of poisonous gases during heating or in fires.
- · 5.3 Advice for firefighters
- · Protective equipment:

Put on breathing apparatus.

Do not inhale explosion gases or combustion gases.

### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures

Put on breathing apparatus.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 5)



Page 5/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023 Version 1.1 (replaces version 1.0) Revision: 04.12.2023

Trade name: Sepia Toner

See Section 13 for information on disposal.

(Contd. of page 4)

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep breathing equipment ready.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility:

Do not store together with acids.

Keep away from foodstuffs, beverages and food.

· Further information about storage conditions:

Keep container tightly sealed.

Store in a cool place.

- · Recommended storage temperature: 5-25 °C
- · Storage class

(German Technical Rule for Hazardous Substance – TRGS 510)

8 B

· 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### 1310-58-3 potassium hydroxide

OEL (Ireland) | Short-term value: 2 mg/m<sup>3</sup>

· DNELs

#### **ATE (Acute Toxicity Estimates)**

Dermal Systematic effects - long term 4,478 mg/kg/day

· Additional information:

The lists that were valid during the compilation were used as basis.

(Contd. on page 6)

# **Fotospeed**

for every print

Page 6/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023 Version 1.1 (replaces version 1.0) Revision: 04.12.2023

Trade name: Sepia Toner

(Contd. of page 5)

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

The usual precautionary measures should be adhered to general rules for handling chemicals.

Keep away from foodstuffs, beverages and food.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat, drink or smoke while working.

#### · Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

#### · Hand protection

Protective gloves.

The protective gloves to be used must comply with the specifications of the (EU) 2016/425 and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

Thickness	Breakthrough time		
	(mm)	(min)	
Nitril rubber	0,38	> 480	
Neoprene	0,65	> 240	
Butyl rubber	0,36	> 480	
Avoid natural rubl	oer gloves.		

#### · As protection from splashes gloves made of the following materials are suitable:

Synthetic gloves

Value for the permeation: Level:

≥ 3 (60 min)

- · Eye/face protection Tightly sealed safety glasses.
- · Body protection: Protective work clothing.

IRL

# **Fotospeed**

Page 7/14

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023

Version 1.1 (replaces version 1.0)

Revision: 04.12.2023

Trade name: Sepia Toner

(Contd. of page 6)

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Colour: Slightly grey colour, slight turbidity

· Odour: Product specific · Odour threshold: Not determined.

· Melting point/freezing point: Not determined Boiling point or initial boiling point and

boiling range 100 °C (7732-18-5 water)

· Flammability Not applicable.

Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable · Decomposition temperature: Not determined.

· pH at 20 ℃ 13.5

· Viscosity:

 Kinematic viscosity Not determined. · dynamic: Not determined.

· Solubility

· Water: miscible

· Partition coefficient n-octanol/water (log

value) Not determined.

· Vapour pressure at 20 °C: 23 hPa (7732-18-5 water)

· Density and/or relative density

· Density at 20 °C 1.07 g/cm<sup>3</sup> Not determined. · Relative density Not determined. · Vapour density

· 9.2 Other information

· Appearance:

· Form: Liquid

· Important information on protection of

health and environment, and on safety. · Self-inflammability: Product is not selfigniting.

· Explosive properties: · Change in condition

Product is not explosive.

· Evaporation rate Not determined.

(Contd. on page 8)



Page 8/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023 Version 1.1 (replaces version 1.0) Revision: 04.12.2023

Trade name: Sepia Toner

	(Contd. of pag
· Information with regard to physical	
hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

No dangerous decomposition products known

### **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 9)



Page 9/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023 Version 1.1 (replaces version 1.0) Revision: 04.12.2023

**Trade name: Sepia Toner** 

(Contd. of page 8)

#### · LD/LC50 values that are relevant for classification:

#### **ATE (Acute Toxicity Estimates)**

Oral LD50 2,746 mg/kg (rat)

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

Based on available data, the classification criteria are not met.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- Additional toxicological information:

This statement was deduced from the properties of the single components.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Ecotoxical effects: No further relevant information available.
- · Additional ecological information:
- · General notes:

This statement was deduced from the properties of the single components.

(Contd. on page 10)



Page 10/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023 Version 1.1 (replaces version 1.0) Re

Revision: 04.12.2023

Trade name: Sepia Toner

(Contd. of page 9)

Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.

Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

At present there are no ecotoxicological assessments.

The product does not contain organically bounded halogens (AOX-free).

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· European waste catalogue		
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST	
16 05 00	gases in pressure containers and discarded chemicals	
16 05 08*	discarded organic chemicals consisting of or containing hazardous substances	
HP6	Acute Toxicity	
HP8	Corrosive	
HP12	Release of an acute toxic gas	

#### · Uncleaned packagings:

### · Recommendation:

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· Recommended cleaning agent: Water, if necessary with cleaning agent.

RI -



Page 11/14

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023

Version 1.1 (replaces version 1.0)

Revision: 04.12.2023

Trade name: Sepia Toner

(Contd. of page 10)

#### **SECTION 14: Transport information**

· 14.1 UN number or ID number

· ADR/RID, IMDG, IATA UN1719

· 14.2 UN proper shipping name

ADR/RID, IMDG, IATA CAUSTIC ALKALI LIQUID, N.O.S. (POTASSIUM

HYDROXIDE, SODIUM SULPHIDE, HYDRATED)

· 14.3 Transport hazard class(es)

· ADR/RID, IMDG, IATA



· Class 8 Corrosive substances.

· Label

· 14.4 Packing group

· ADR/RID, IMDG, IATA Ш

· 14.5 Environmental hazards: Not applicable.

· 14.6 Special precautions for user Warning: Corrosive substances.

· Kemler Number:

F-A.S-B

80

· EMS Number: · Segregation groups

(SGG18) Alkalis

 Stowage Category · Segregation Code

SG22 Stow "away from" ammonium salts

SG35 Stow "separated from" SGG1-acids

· 14.7 Maritime transport in bulk

according to IMO instruments Not applicable.

· Transport/Additional information:

· ADR/RID

· Limited quantities (LQ)

2

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· Transport category

· Tunnel restriction code Ε

(Contd. on page 12)



Page 12/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023 Version 1.1 (replaces version 1.0) Revision: 04.12.2023

Trade name: Sepia Toner

(Contd. of page 11)

·IMDG

· Limited quantities (LQ) 1L

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 1719 CAUSTIC ALKALI LIQUID, N.O.S.

(POTASSIUM HYDROXIDE, SODIÚM SULPHIDE,

HYDRATED), 8, II

### **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

sodium sulphide

potassium hydroxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260

Do not breathe dusts or mists.

P280

Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water [or shower].

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER/doctor.

(Contd. on page 13)

IRL

# **Fotospeed**

for every print

Page 13/14

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.12.2023 Version 1.1 (replaces version 1.0) Revision: 04.12.2023

Trade name: Sepia Toner

(Contd. of page 12)

P405

Store locked up.

P501

Dispose of contents/container in accordance with local/regional/

national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations
- · Water hazard class:

Water danger class 3 (Self-assessment): highly water-endangering.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

· Relevant phrases

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

EUH031 Contact with acids liberates toxic gas.

· Version number of previous version: 1.0

(Contd. on page 14)



Page 14/14

### Safety data sheet according to 1907/2006/EC, Article 31

Revision: 04.12.2023 Printing date 04.12.2023 Version 1.1 (replaces version 1.0)

Trade name: Sepia Toner

(Contd. of page 13)

### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

#### Sources

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), http://www.dguv.de/ifa/en/gestis/stoffdb/ index.jsp

applicable EEC directives:

- 1907/2006
- 1272/2008