ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

ID-11 Developer (Part A)

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of	the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	ID-11 Developer (Part A)		
Product number	1960457, 1960475		
Internal identification	10009		
Container size	8g; 40g		
1.2. Relevant identified uses	of the substance or mixture and uses advised against		
Identified uses	Photographic Developer		
1.3. Details of the supplier of	the safety data sheet		
Supplier	Distributors UK: HARMAN technology Ltd, Ilford Way, Mobberley, Cheshire, WA16 7JL, UK Tel: 01565 650000, Fax: 01565 872734. (http://www.harmantechnology.com) Australia: CR Kennedy & Co Pty Ltd, 663 Chapel Street, South Yarra, Victoria 3141, Australia. Tel: 03 9823 1555, Fax: 03 9827 7216		
Contact person	UK: HS&E Manager: Dr Lindsey Campbell Tel: +44(0)1565 650000, E-mail: lindsey.campbell@harmantechnology.com Australia: Contact Distributor (http://www.crkennedy.com.au) Tel +61 (0)3 9823 1555		
1.4. Emergency telephone nu	Imber		
Emergency telephone	Australia: 1-800-557346 UK and elsewhere: +44(0) 207 858 1228		
SECTION 2: Hazards identifi	UK and elsewhere: +44(0) 207 858 1228		
	UK and elsewhere: +44(0) 207 858 1228 cation		
SECTION 2: Hazards identifi	UK and elsewhere: +44(0) 207 858 1228 cation stance or mixture)		
SECTION 2: Hazards identifi 2.1. Classification of the subs	UK and elsewhere: +44(0) 207 858 1228 cation stance or mixture		
SECTION 2: Hazards identifi 2.1. Classification of the subs Classification (EC 1272/2008	UK and elsewhere: +44(0) 207 858 1228 cation stance or mixture)		
SECTION 2: Hazards identifi 2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards	UK and elsewhere: +44(0) 207 858 1228		
SECTION 2: Hazards identifi 2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards	UK and elsewhere: +44(0) 207 858 1228 cation tance or mixture Not Classified Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 STOT RE 2 - H373		
SECTION 2: Hazards identifi 2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards	UK and elsewhere: +44(0) 207 858 1228 cation tance or mixture Not Classified Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 STOT RE 2 - H373		
SECTION 2: Hazards identifi 2.1. Classification of the subs Classification (EC 1272/2008 Physical hazards Health hazards Environmental hazards 2.2. Label elements	UK and elsewhere: +44(0) 207 858 1228 cation tance or mixture Not Classified Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Muta. 2 - H341 Carc. 2 - H351 STOT RE 2 - H373		

Hazard statements	H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure.
	H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P273 Avoid release to the environment. P280 Wear protective clothing, gloves, eye and face protection. P301+P312 IF SWALLOWED: Call a POISON CENTRE/doctor if you feel unwell. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/ container in accordance with local regulations.
Contains	HYDROQUINONE, bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE
2.3. Other hazards	
No information available	

No information available.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
HYDROQUINONE		60-100%
CAS number: 123-31-9	EC number: 204-617-8	REACH registration number: 01- 2119524016-51-XXXX
M factor (Acute) = 10		
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Muta. 2 - H341		
Carc. 2 - H351		
Aquatic Acute 1 - H400		
bis(4-HYDROXY-N-METHYLANI	LINIUM) SULPHATE	10-30%
CAS number: 55-55-0	EC number: 200-237-1	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Acute Tox. 3 - H301		
Skin Sens. 1 - H317		
STOT RE 2 - H373		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

4.1. Description of first aid mea	asures
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Skin contact	May cause sensitisation by skin contact.
Eye contact	Irritation of eyes and mucous membranes. May cause serious eye damage.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of the following substances: Carbon. Sulphur. Nitrogen.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours.
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Avoid contact with skin and eyes. Avoid inhalation of dust. Provide adequate ventilation.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Wear protective clothing, gloves, eye and face protection. Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.
6.4. Reference to other section	15
Reference to other sections	For personal protection, see Section 8. For waste disposal, see section 13.
SECTION 7: Handling and sto	rage

7.1. Precautions for safe handling

Usage precautions	Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Do not breathe dust. Provide adequate ventilation. Avoid spilling. Read and follow manufacturer's recommendations.	
7.2. Conditions for safe storage	ge, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container. Storage advice to ensure the product remains in a useable condition throughout its specified shelf life: Store at temperatures not exceeding 30°C.	
Storage class	Chemical storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls/Personal protection		
8.1. Control parameters		
Occupational exposure limits HYDROQUINONE		
Long-term exposure limit (8-hour TWA): WEL 0.5 mg/m³ WEL = Workplace Exposure Limit.		

HYDROQUINONE (CAS: 123-31-9)

DNEL	Industry/Professional - Dermal; Long term systemic effects: 128 mg/kg/day Industry/Professional - Inhalation; Long term systemic effects: 7 mg/m ³ Industry/Professional - Inhalation; Long term local effects: 1 mg/m ³ General population - Dermal; Long term systemic effects: 64 mg/kg/day General population - Inhalation; Long term systemic effects: 1.74 mg/m ³ General population - Inhalation; Long term local effects: 0.5 mg/m ³
PNEC	- Water; 0.000114 mg/l - marine water; 0.0000114 mg/l - Sediment (Freshwater); 0.00098 mg/kg - Sediment (Marinewater); 0.000097 mg/kg - Intermittent release; 0.00134 mg/l - Soil; 0.000129 mg/kg

- STP; 0.71 mg/l

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Eye/face protection

Hand protection

Other skin and body protection

Provide adequate general and local exhaust ventilation.

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Use protective gloves.

Wear appropriate clothing to prevent skin contamination.

Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.	
SECTION 9: Physical and che	mical properties	
9.1. Information on basic phys	ical and chemical properties	
Appearance	Crystals. Dusty powder.	
Colour	White/off-white. Cream.	
Odour	No characteristic odour.	
рН	pH (concentrated solution): 4	
Solubility(ies)	Soluble in water. 100%	
9.2. Other information		
Other information	Not available.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	The reactivity data for this product will be typical of those for the following class of materials: Reducing agents.	
10.2. Chemical stability		
Stability	Stable under the prescribed storage conditions. No particular stability concerns.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Under normal conditions of storage and use, no hazardous reactions will occur.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid excessive heat for prolonged periods of time.	
10.5. Incompatible materials		
Materials to avoid	Strong acids. Avoid contact with other photographic solutions and/or cleaning compounds.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	Thermal decomposition or combustion products may include the following substances: Oxides of the following substances: Carbon. Nitrogen. Sulphur.	
SECTION 11: Toxicological information		
11.1. Information on toxicologi	cal effects	
Toxicological effects	This chemical formulation has not been tested for health effects. Exposure effects listed are based on existing health data for the individual components that comprise the mixture.	
Acute toxicity - oral ATE oral (mg/kg)	342.86	
Germ cell mutagenicity Genotoxicity - in vitro	The product contains a substance that is classified as: Suspected of causing genetic defects.	
Carcinogenicity Carcinogenicity	The product contains a substance that is classified as: Suspected of causing cancer.	
Inhalation	Dust may irritate the respiratory system.	

Ingestion	Harmful if swallowed. May cause discomfort if swallowed.
Skin contact	Powder may irritate skin. May cause sensitisation by skin contact. May cause allergic contact eczema.
Eye contact	Irritation of eyes and mucous membranes. Repeated exposure may cause chronic eye irritation. May cause serious eye damage.
Acute and chronic health hazards	Prolonged or repeated exposure may cause severe irritation. May cause skin irritation/eczema. May cause sensitisation by skin contact. Dust may irritate the respiratory system. May cause allergy. May cause hypersensitivity. May cause damage to organs through prolonged or repeated exposure.
Route of exposure	Inhalation Ingestion. Skin and/or eye contact
Medical considerations	May aggravate existing: Skin disorders and allergies. Pre-existing eye problems.

Toxicological information on ingredients.

HYDROQUINONE

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	375.0
Species	Rat
ATE oral (mg/kg)	375.0
Carcinogenicity	
IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
	bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	200.0
Species	Rat
ATE oral (mg/kg)	200.0
SECTION 12: Ecological information	

12.1. Toxicity

Toxicity

The product contains a substance which is very toxic to aquatic organisms. The product contains a substance which is very toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

Ecological information on ingredients.

HYDROQUINONE

Acute aquatic toxicity	
LE(C)50	$0.01 < L(E)C50 \le 0.1$
M factor (Acute)	10
Acute toxicity - fish	$LC_{\text{so}},$ 96 hours: 0.10-0.18 (Fathead Minnow) mg/l, Fish

Acute toxicity - a invertebrates	quatic	EC₅₀, 48 hours: 0.05 mg/l, Daphnia magna
Acute toxicity - a plants	iquatic	IC₅₀, 72 hours: 1.0 mg/l, Algae
		bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE
Acute aquatic to	xicity	
LE(C)50		0.1 < L(E)C50 ≤ 1
M factor (Acute)		1
Acute toxicity - f	ish	LC₅₀, 96 hours: 0.25 mg/l, Fish
Acute toxicity - a invertebrates	iquatic	EC₅₀, 48 hours: 0.02 mg/l, Daphnia magna
Acute toxicity - a plants	iquatic	IC₅₀, 72 hours: 10 mg/l, Algae
Chronic aquatic	toxicity	
M factor (Chroni	c)	1
12.2. Persistence and degrad	ability	
Persistence and degradability	There a	e no data on the degradability of this product.
12.3. Bioaccumulative potenti	al	
Bioaccumulative potential	No data	available on bioaccumulation.
12.4. Mobility in soil		
Mobility	The pro	duct is soluble in water.
12.5. Results of PBT and vPv	B assessn	nent
Results of PBT and vPvB assessment	This pro	duct does not contain any substances classified as PBT or vPvB.
Ecological information on ing	edients.	
		HYDROQUINONE
Results of PBT a assessment	and vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects		
Other adverse effects	None kr	own.
SECTION 13: Disposal consid	derations	
13.1. Waste treatment metho	ds	
Disposal methods	permit II have to waste to	luted, and spent solutions may be allowed to be discharged to sanitary sewer by allowed by local regulations. Consult your local authority for advice. Waste may be pre-treated before discharge. Consult local authorities before discharging any sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer we to handled by a licensed hazardous waste contractor.

Waste class

090101

SECTION 14: Transport information

•	
General	Exceptions relating to marine pollutants in small packages apply to this product, so that it is not required to be labelled or transported in accordance with dangerous goods regulations. See ADR SP 375, IATA SP A197, and IMDG 2.10.2.7.
14.1. UN number	
UN No. (ADR/RID)	3077
UN No. (IMDG)	3077
UN No. (ICAO)	3077
UN No. (ADN)	3077
14.2. UN proper shipping name	<u>e</u>
Proper shipping name (ADR/RID)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS HYDROQUINONE, bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE)
Proper shipping name (IMDG)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS HYDROQUINONE, bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE)
Proper shipping name (ICAO)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS HYDROQUINONE, bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE)
Proper shipping name (ADN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS HYDROQUINONE, bis(4-HYDROXY-N-METHYLANILINIUM) SULPHATE)
14.3. Transport hazard class(e	<u>s)</u>
ADR/RID class	9
ADR/RID classification code	M7
ADR/RID label	9
IMDG class	9
ICAO class/division	9
ADN class	9
Transport labels	
14.4. Packing group	
ADR/RID packing group	ш
IMDG packing group	III
ICAO packing group	III

14.5. Environmental hazards

ADN packing group

Environmentally hazardous substance/marine pollutant

Ш

14.6. Special precautions for user

EmS	F-A, S-F
ADR transport category	3
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(E)
44.7 Transport in bull cocordi	na ta Annav II

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.
Guidance	Workplace Exposure Limits EH40. Worksafe Australia NOHSC 2012: Labelling of workplace substances. Australian Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP). Australian Approved Criteria for Classifying Hazardous Substances (NOHSC 1008). Australian List of Designated Hazardous Substances (NOHSC 10005). Australian National Code of Practice for the Preparation of Material safety Data Sheets (NOHSC 2011)

15.2. Chemical safety assessment

See the appended document: Safe Use of Mixtures Information (SUMI)

SECTION 16: Other information	
General information	HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.
Key literature references and sources for data	European Photographic Chemical Industry Code of Practice For Classification And Labelling Material Safety Data Sheet, Misc. manufacturers. Dangerous Properties of Industrial Chemicals, 6.edition, N.Sax, 1984.
Issued by	Mr James Cooper, HARMAN Technology Ltd, Mobberley, Knutsford, Cheshire, WA16 7GB, ENGLAND, United Kingdom, Tel.: +44(0)1565 650000 email: james.cooper@harmantechnology.com
Revision date	16/09/2022

Revision	4
Supersedes date	12/01/2021
Hazard statements in full	 H301 Toxic if swallowed. H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.

ILFORD PHOTO HARMAN technology Ltd

Safe Use of Mixtures Information (SUMI) Automated Photoprocessing using Powder based Products

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in Section 8 of the SDS. The REACH Registration Numbers, where applicable, complete an extended product SDS.

Operational conditions			
Maximum duration	15 minutes per day for dissolving/mixing powders.		
Frequency of exposure	240 days per year.		
Physical state	As supplied: powder concentrate.		
	As used, after making up: aqueous working strength solution.		
Process conditions	Covers use at ambient temperatures.		
	Provide a good standard of controlled ventilation (10 to 15 air changes per hour).		
	Keep emissions below the occupational exposure limits of the ingredients		
	specified in section 8 of the SDS.		
	Avoid direct contact.		
	Ensure regular cleaning of equipment and work area.		
	Supervision in place to check that Risk Management Measures (RMM's) are in place and		
	are being correctly used and Operational Conditions (OC's) followed.		
Risk management measures			
Conditions and measures	Delivery & storage: Wear suitable gloves & labcoat.		
related to	Application: Wear labcoat and if there is a chance of exposure wear suitable eye		
Personal Protection Equipment	protection, gloves and respirator .		
(PPE), hygiene and health	Loading/Cleaning/ Mixing: Wear suitable eye protection with side shields, gloves, labcoat		
evaluation	and respirator when mixing powder into aqueous solutions.		
	Wear appropriate chemical resistant gloves: see Section 8 of the SDS.		
	Provide adequate ventilation. In case of insufficient ventilation wear suitable respiratory		
	equipment when handling the powders.		
	Eye wash station and emergency showers are recommended.		
Avoid breathing dust, mist/vapours. Avoid direct contact with skin, eyes and clothing.			
			Training of workers in relation to proper use and maintenance of all Personal Protective
Equipment must be ensured.			
Good practice advice			
Use personal protective equipme	ent as required.		
Wash hands before breaks and a	fter work.		
Keep good industrial hygiene and	l safety practice.		
Use only with adequate ventilation	on.		
Do not eat, drink or smoke when	using this product.		

Store at room temperature.

Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Do not dispose of together with general office waste.

Use descriptors

IS-Use at industrial sites.

PW-Widespread use by professional workers.

SU7-Printing and reproduction of recorded media.

PC30-Photochemicals.

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional

controlled exposure or processes with equivalent containment condition.

PROC5-Mixing or blending in batch processes.

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities.

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities.

ERC6b-Use of reactive processing aid at industrial site (no inclusion into or onto article).

ERC8b-Widespread use of reactive processing aid (no inclusion into or onto article, indoor).

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

Mixing powders into aqueous solutions creates a different risk management method than mixing solutions and is normally done by operators wearing respirators suitable for the particle size and hazard posed by the substance(s).

The product may contain sensitizing ingredients that may cause allergic reaction to certain people. Section 2 of the SDS states these ingredients where applicable.

ILFORD PHOTO HARMAN technology Ltd

Safe Use of Mixtures Information (SUMI)

Photoprocessing Solutions from Liquid or Powder Concentrates: Manual Processing (Professional Use)

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS. The REACH registration numbers, where applicable, complete an extended product SDS.

Operational conditions		
Maximum duration	1 hour per day for diluting liquid concentrate	s or dissolving powders (when applicable).
	1 hour per day for mixing and disposal activities.	
	6 hours per day for application (= processing)	l.
Frequency of exposure	Dissolving powders: 25 days per year.	
	Diluting liquids and all other activities: 50 days per year.	
Physical state	As supplied: liquid concentrates or powder concentrates.	
	As used, after making up: aqueous working so	olution.
Process conditions	Covers use at ambient temperatures.	
	Provide a good standard of controlled ventila	tion (10 to 15 air changes per hour).
	Keep emissions below the occupational expo	sure limits of the ingredients
	specified in section 8 of the SDS.	-
	Avoid direct contact.	
	Regular cleaning of equipment and work area	Э.
Risk management measures		
Conditions and measures	Wear safety glasses with side shields.	
related to	Wear appropriate chemical resistant gloves: see section 8 of the SDS.	
Personal Protection Equipment	Wear lab coat or overall.	
(PPE), hygiene and health	No respiratory protective equipment is required under normal conditions of use, provided	
evaluation	that adequate ventilation is in place.	
	Eye wash station and emergency showers are recommended.	
	Avoid breathing dust (when handling powders), mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of worker in relation to proper use and maintenance of the PPE must be ensured.	
Good practice advice		
Use personal protective equipme	nt as required.	
Wash hands before breaks and a	fter work.	
Keep good hygiene and safety pr	actice.	
Use only with adequate ventilation	on.	
Do not eat, drink or smoke when	using this product.	

Environmental measures

Do not allow this material to drain into sewers/water supplies.

Ensure collection and disposal with appropriately licenced waste contractor.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Use descriptors

PW-Widespread use by professional workers.

SU7-Printing and reproduction of recorded media.

PC30-Photochemicals.

PROC5-Mixing or blending in batch processes.

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities.

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities.

PROC13-Treatment of articles by dipping and pouring.

ERC8a-Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor).

ERC8b-Widespread use of reactive processing aid (no inclusion into or onto article, indoor).

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture as supplied is provided.

See section 3 of the SDS for information on the product's composition. Note that this information will be for the concentrate supplied, which is used to create the working strength (WS) solution.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

ILFORD PHOTO HARMAN technology Ltd

Safe Use of Mixtures Information (SUMI)

Photoprocessing Solutions from Liquid or Powder Concentrates: Manual Processing (Consumer Use)

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS. The REACH registration numbers, where applicable, complete an extended product SDS.

Operational conditions			
Maximum duration	15 minutes per day for dissolving powders (when applicable).		
	15 minutes per day for mixing and disposal activities.		
	4 hours per day for application (= processing).		
Frequency of exposure	Dissolving powders: 12 days per year.		
	Diluting liquids and all other activities: 25 days per year.		
Physical state	As supplied: liquid concentrate or powder concentrate.		
	As used, after making up: aqueous working strength solution.		
Process conditions	Covers use at ambient temperatures.		
	Provide a good standard of ventilation.		
	Avoid direct contact.		
	Regular cleaning of equipment and work area.		
Risk management measures			
Conditions and measures	Wear safety glasses with side shields.		
related to	Wear appropriate chemical resistant gloves: see section 8 of the SDS.		
Personal Protection Equipment	Wear lab coat or overall.		
(PPE), hygiene and health	Provide adequate ventilation.		
evaluation	Avoid breathing dust (when handling powders), mist/vapours.		
	Avoid contact with skin, eyes and clothing.		
Good practice advice			
Use Personal Protective Equipme			
Wash hands before breaks and after work.			
Use only with adequate ventilation.			
Do not eat, drink or smoke when using this product.			
Environmental measures			
Do not allow this material to drain into sewers/water supplies.			
Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.			

Use descriptors

C-Consumer use.

SU7-Printing and reproduction of recorded media.

PC30-Photochemicals.

PROC5-Mixing or blending in batch processes.

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities.

PROC13-Treatment of articles by dipping and pouring.

ERC8a-Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor).

ERC8b-Widespread use of reactive processing aid (no inclusion into or onto article, indoor).

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture as supplied is provided.

See section 3 of the SDS for information on the product's composition.

Note that this information will be for the concentrate supplied, which is used to create the working strength (WS) solution.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people. Section 2 of the SDS states these ingredients where applicable.