ILFORD PHOTO

HARMAN technology Ltd

SAFETY DATA SHEET

llfotol

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	llfotol
Product number	1905162
Internal identification	10256
Container size	1 Litre
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	Processing Auxiliary Solution
1.3. Details of the supplier of t	the safety data sheet
Supplier	Distributors UK: HARMAN technology Ltd, Ilford Way, Mobberley, Cheshire, WA16 7JL, UK Tel: 01565 650000, Fax: 01565 872734. (http://www.harmantechnology.com) Australia: CR Kennedy & Co Pty Ltd, 663 Chapel Street, South Yarra, Victoria 3141, Australia. Tel: 03 9823 1555, Fax: 03 9827 7216
Contact person	UK: HS&E Manager: Dr Lindsey Campbell Tel: +44(0)1565 650000, E-mail: lindsey.campbell@harmantechnology.com Australia: Contact Distributor (http://www.crkennedy.com.au) Tel +61 (0)3 9823 1555
1.4. Emergency telephone nu	mber
Emergency telephone	Australia: 1-800-557346 UK and elsewhere: +44(0) 207 858 1228
SECTION 2: Hazards identific	cation
2.1. Classification of the subst	tance or mixture
Classification (EC 1272/2008)	-
Physical hazards	Not Classified
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified
2.2. Label elements	
Hazard pictograms	
Signal word	Warning
Hazard statements	H319 Causes serious eye irritation.

Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P280 Wear protective clothing, gloves, eye and face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/ container in accordance with local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients		
3.2. Mixtures		
isotridecanol, branched, ethoxyla	fed	< 2.5%
CAS number: 9043-30-5		,
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
2-PHENOXYETHANOL		< 1.5%
CAS number: 122-99-6	EC number: 204-589-7	
Classification		
Acute Tox. 4 - H302		
Eye Irrit. 2 - H319		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

-			
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.		
Ingestion	Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.		
Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.		
Eye contact	Remove affected person from source of contamination. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.		
4.2. Most important symptom	4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	No specific symptoms known.		
Ingestion	No specific symptoms known.		
Skin contact	May cause skin irritation.		
Eye contact	This product is strongly irritating.		
4.3. Indication of any immediate medical attention and special treatment needed			
Notes for the doctor	No specific recommendations.		
SECTION 5: Firefighting measures			

5.1. Extinguishing media

Suitable extinguishing media The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising fr	om the substance or mixture	
Specific hazards	No unusual fire or explosion hazards noted.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours.	
Special protective equipment for firefighters	Use protective equipment appropriate for surrounding materials. Selection of respiratory protection for fire fighting: follow the general fire precautions indicated in the workplace.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Take care as floors and other surfaces may become slippery. Avoid contact with eyes.	
6.2. Environmental precaution	S	
Environmental precautions	Do not discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Small Spillages: Wear protective clothing, gloves, eye and face protection. Flush away spillage with plenty of water. Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.	
6.4. Reference to other section	ns	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	lling	
Usage precautions	Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Read and follow manufacturer's recommendations.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container. Storage advice to ensure the product remains in a useable condition throughout its specified shelf life: Store at temperatures above 0°C. Store at temperatures not exceeding 30°C.	
Storage class	Chemical storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure control	SECTION 8: Exposure controls/Personal protection	
8.1. Control parameters		
Ingredient comments	No exposure limits known for ingredient(s).	
8.2. Exposure controls		

Protective equipment



Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Use protective gloves.
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination.
Respiratory protection	Respiratory protection not required.
SECTION 9: Physical and chemical properties	

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless.
Odour	No characteristic odour.
рН	pH (concentrated solution): 7
Initial boiling point and range	>100°C @
Relative density	~ 0.999 @ 20°C
Solubility(ies)	Soluble in water.
9.2. Other information	
Other information	Not available.
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	

Stable under the prescribed storage conditions. No particular stability concerns.

Stability

reactions

10.3. Possibility of hazardous reactions

Possibility of hazardous Under normal conditions of storage and use, no hazardous reactions will occur.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoidNo specific material or group of materials is likely to react with the product to produce a
hazardous situation.

10.6. Hazardous decomposition products

Hazardous decompositionThermal decomposition or combustion products may include the following substances: Oxidesproductsof carbon.

SECTION 11: Toxicological information

•_•··•	
11.1. Information on toxicolog	ical effects
Toxicological effects	This chemical formulation has not been tested for health effects. Exposure effects listed are based on existing health data for the individual components that comprise the mixture.
Acute toxicity - oral	
ATE oral (mg/kg)	19,808.08
Inhalation	No specific health hazards known.
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.
Skin contact	May cause skin irritation.
Eye contact	This product is strongly irritating.
Acute and chronic health hazards	Because of the product's quantity and composition, the health hazard is regarded as low.
Route of exposure	Skin and/or eye contact Ingestion
SECTION 12: Ecological infor	mation
12.1. Toxicity	
Toxicity	The product is not expected to be toxic to aquatic organisms.
12.2. Persistence and degrada	ability
Persistence and degradability	The product is expected to be biodegradable.
12.3. Bioaccumulative potentia	al
Bioaccumulative potential	Bioaccumulation is unlikely.
12.4. Mobility in soil	
Mobility	The product is soluble in water.
12.5. Results of PBT and vPv	B assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	<u>ls</u>
Disposal methods	Used, diluted, and spent solutions may be allowed to be discharged to sanitary sewer by permit IF allowed by local regulations. Consult your local authority for advice. Waste may have to be pre-treated before discharge. Consult local authorities before discharging any waste to sewer. Do not discharge to septic system. Waste that cannot be discharged to sewer may have to handled by a licensed hazardous waste contractor.
Waste class	090199
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG_IATA_ADB/RID)

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not applicable.

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments.
Guidance	Workplace Exposure Limits EH40. Worksafe Australia NOHSC 2012: Labelling of workplace substances. Australian Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP). Australian Approved Criteria for Classifying Hazardous Substances (NOHSC 1008). Australian List of Designated Hazardous Substances (NOHSC 10005). Australian National Code of Practice for the Preparation of Material safety Data Sheets (NOHSC 2011)

15.2. Chemical safety assessment

See the appended document: Safe Use of Mixtures Information (SUMI)

SECTION 16: Other information

General information	HARMAN technology Ltd believe the information and recommendations contained herein are based on correct and factual data. However, no express or implied guarantee or warranty of any kind is made with respect to this information. Use this information only to supplement other information you have gathered and then make an independent determination about the completeness and suitability of all information to ensure the proper use and disposal of this product and the health and safety of employees and customers.
Key literature references and sources for data	European Photographic Chemical Industry Code of Practice For Classification And Labelling
Issued by	Mr James Cooper, HARMAN Technology Ltd, Mobberley, Knutsford, Cheshire, WA16 7GB, ENGLAND, United Kingdom, Tel.: +44(0)1565 650000 email: james.cooper@harmantechnology.com
Revision date	20/09/2022
Revision	4
Supersedes date	12/01/2021
Hazard statements in full	H302 Harmful if swallowed. H318 Causes serious eye damage. H319 Causes serious eye irritation.

ILFORD PHOTO HARMAN technology Ltd

Safe Use of Mixtures Information (SUMI)

Photoprocessing Solutions from Liquid or Powder Concentrates: Manual Processing (Professional Use)

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS. The REACH registration numbers, where applicable, complete an extended product SDS.

Operational conditions		
Maximum duration	1 hour per day for diluting liquid concentrates or dissolving powders (when applicable).	
	1 hour per day for mixing and disposal activities.	
	6 hours per day for application (= processing).	
Frequency of exposure	Dissolving powders: 25 days per year.	
	Diluting liquids and all other activities: 50 days per year.	
Physical state	As supplied: liquid concentrates or powder concentrates.	
	As used, after making up: aqueous working so	olution.
Process conditions	Covers use at ambient temperatures.	
	Provide a good standard of controlled ventila	tion (10 to 15 air changes per hour).
	Keep emissions below the occupational expo	sure limits of the ingredients
	specified in section 8 of the SDS.	-
	Avoid direct contact.	
	Regular cleaning of equipment and work area	Э.
Risk management measures		
Conditions and measures	Wear safety glasses with side shields.	
related to	Wear appropriate chemical resistant gloves: see section 8 of the SDS.	
Personal Protection Equipment	Wear lab coat or overall.	
(PPE), hygiene and health	No respiratory protective equipment is required under normal conditions of use, provided	
evaluation	that adequate ventilation is in place.	
	Eye wash station and emergency showers are recommended.	
	Avoid breathing dust (when handling powders), mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of worker in relation to proper use and maintenance of the PPE must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	fter work.	
Keep good hygiene and safety pr	actice.	
Use only with adequate ventilation	nly with adequate ventilation.	
Do not eat, drink or smoke when	n using this product.	

Environmental measures

Do not allow this material to drain into sewers/water supplies.

Ensure collection and disposal with appropriately licenced waste contractor.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Use descriptors

PW-Widespread use by professional workers.

SU7-Printing and reproduction of recorded media.

PC30-Photochemicals.

PROC5-Mixing or blending in batch processes.

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities.

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities.

PROC13-Treatment of articles by dipping and pouring.

ERC8a-Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor).

ERC8b-Widespread use of reactive processing aid (no inclusion into or onto article, indoor).

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture as supplied is provided.

See section 3 of the SDS for information on the product's composition. Note that this information will be for the concentrate supplied, which is used to create the working strength (WS) solution.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.

ILFORD PHOTO HARMAN technology Ltd

Safe Use of Mixtures Information (SUMI)

Photoprocessing Solutions from Liquid or Powder Concentrates: Manual Processing (Consumer Use)

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product Safety Data Sheet (SDS), the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS. The REACH registration numbers, where applicable, complete an extended product SDS.

Operational conditions		
Maximum duration	15 minutes per day for dissolving powders (when applicable).	
	15 minutes per day for mixing and disposal activities.	
	4 hours per day for application (= processing).	
Frequency of exposure	Dissolving powders: 12 days per year.	
	Diluting liquids and all other activities: 25 days per year.	
Physical state	As supplied: liquid concentrate or powder concentrate.	
	As used, after making up: aqueous working strength solution.	
Process conditions	Covers use at ambient temperatures.	
	Provide a good standard of ventilation.	
	Avoid direct contact.	
	Regular cleaning of equipment and work area.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields.	
related to	Wear appropriate chemical resistant gloves: see section 8 of the SDS.	
Personal Protection Equipment	Wear lab coat or overall.	
(PPE), hygiene and health	Provide adequate ventilation.	
evaluation	Avoid breathing dust (when handling powders), mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
Good practice advice		
Use Personal Protective Equipme		
Wash hands before breaks and after work.		
Use only with adequate ventilation.		
Do not eat, drink or smoke when using this product.		
Environmental measures		
Do not allow this material to drain	n into sewers/water supplies.	
Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.		

Use descriptors

C-Consumer use.

SU7-Printing and reproduction of recorded media.

PC30-Photochemicals.

PROC5-Mixing or blending in batch processes.

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities.

PROC13-Treatment of articles by dipping and pouring.

ERC8a-Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor).

ERC8b-Widespread use of reactive processing aid (no inclusion into or onto article, indoor).

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture as supplied is provided.

See section 3 of the SDS for information on the product's composition.

Note that this information will be for the concentrate supplied, which is used to create the working strength (WS) solution.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people. Section 2 of the SDS states these ingredients where applicable.